



embracing
INNOVATION
redefining
STANDARDS

A COMPANY THAT IS LED BY
ITS **VISION**, BUILT BY ITS **MISSION**
AND MENTORED BY ITS VALUES.



Structural Fill

*Perfect for Bridges,
Offshore/Onshore Rigs
and Ground Improvement
Base*



Characteristics	Limit
Maximum particle size	200 mm
Maximum percentage passing 63-micron sieve	15% maximum
Maximum Suitability Number (SN)	40
Minimum Uniformity Coefficient (Cu)	2.0
Maximum liquid limit	30 %
Maximum plasticity index	6 %
Maximum chloride content by weight	0.6 %
Maximum sulphate content by weight	0.6 %

Stone Mixed Structural Base

*The ideal product for
roads and infrastructure
projects*



Structural Fill for Villas

*The perfect blend of
sand and stone for
comprehensive villa
structures*



General Land Structural Fill



Reclamation Soil for Marine Activities

*Used primarily for
slopes and backfill*



Stone Powder

*Ideal for Laying Interlocks,
Tiles and Concrete Blocks*



Gravel

*20-40 mm size for
Roads and Infrastructure
Projects*



***60-300 Kgs
Armour Rocks***



Soil

*Suitable for Laying
MEP Pipes and General
Landscaping*



Building a lasting relationship

*After all, at Capstone,
we strive to be the trusted
and preferred partner of
our existing as well as
prospective customers.*





CAPSTONE MIDDLE EAST CHEMICALS
ABU DHABI UAE
+971 50 732 3706
INFO@CAPSTONEME.NET

CAPSTONEME.NET

